

## **Certificate of Analysis**

Powered by Confident Cannabis 1 of 1

## **Plant Based Labs**

1500mg BS Unflavored

1710 Whitney Mesa Drive Henderson, NV 89014

Ingestible, Tincture

## Sample: 2102CNS0132.1196

Strain: 1500mg BS Unflavored Lot #: 210210PBLB; Sample Received: 02/11/2021; Report Created: 02/18/2021 Harvest Process Lot: METRC Batch: ; METRC Sample:



ND	1,612.6200 mg/unit	Not Tested	
Total THC	Total CBD	Water Activity	PH

Cannabinoids			Complete	
Analyte	LOD	LOQ	Mass	Mass
	%	%	mg/unit	mg/g
CBDV	0.00340	0.00350	9.0210	0.2910
THCV	0.00260	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBD	0.01200	0.01500	1612.6200	52.0200
CBG	0.00220	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBDa	0.00250	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBGa	0.00170	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBN	0.00110	0.00350	11.3460	0.3660
Δ9-THC	0.00240	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Δ8-THC	0.00300	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBC	0.00110	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
THCa	0.00120	0.00350	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBCa	0.00290	0.00350	3.4100	0.1100
Total			1636.3970	52.7870

<sup>1</sup> Unit = , 31g

Total THC = THCa \*  $0.877 + \Delta 9$ -THC +  $\Delta 8$ -THC. Total CBD = CBDa \* 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested.Cannabinoids analyzed per Canalysis SOP-06/SOP-14 on an Agilent 1220 HPLC-DAD.Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Notes: LOQs for 9THC, 8THC, and THCA comply with hemp/CBD regulations.

2952 Meade Ave Las Vegas, NV (702) 304-7878 http://www.canalysislab.com



don rem Trevor Low Lab Director

**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Canalysis Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Canalysis Laboratories.